


THE HUMAN INTESTINAL TRACT PIECE BY PIECE

The information on these pages is not intended to make a diagnosis or to take the place of talking to a US healthcare professional.

Use the illustrations below to better understand how your intestines have been affected by surgery. Highlight sections that have been removed and discuss with your doctor how this may affect your body's ability to absorb nutrients.

The image below is for illustrative purposes and is not an exact model of the human body.

IF YOU HAVE ANY QUESTIONS ABOUT YOUR INTESTINAL HEALTH, TALK TO YOUR DOCTOR.




ABSORPTION ASSOCIATED WITH EACH SECTION OF THE INTESTINE

Each section of the intestinal tract is responsible for specific functions that help absorb fluids and nutrients to promote digestion.* Your body's ability to digest and absorb fluids and nutrients following bowel resection surgery will be affected by a number of factors, such as:

- Which section of the intestine is removed
- Length and location of remaining bowel
- How much time has passed since surgery
- · Compliance with diet and hydration regimens

TO LEARN MORE ABOUT YOUR GASTROINTESTINAL HEALTH, TALK TO YOUR DOCTOR.



*The duodenum, jejunum and ileum are sections that make up the small intestine.



This information is intended for US audiences only.

TAKEDA and the TAKEDA logo are trademarks or registered trademarks of Takeda Pharmaceutical Company Limited. ©2020 Takeda Pharmaceuticals U.S.A., Inc. Lexington, MA 02421. All rights reserved. 1-800-828-2088